

ABLOY® FD462

Electromechanical hold open device for double doors




Product description

ABLOY FD462 is a stylish and compact fire door closing system. Hold open devices for both doors, coordinator and arms are included. User can choose whether only the active door or both doors are open. Electromechanical hold open device is placed inside the sliding rail which guarantees a durable protection against vandalism. Recommended to be used with ABLOY DC250 door closers (2 pcs).

Overview of Advantages

- CE certified according to EN1155 and EN1158
- Maximum door leaf weight 120 kg and hinge distance 2800 mm
- Installed with door closer that can be adjusted to force size EN 3-6
- Only the active door or both doors are open
- On non-hinge side installation must use accessory set FD120
- Active door will not close before inactive door has closed
- If installing on hinge side, then must use carry bar FD101
- If installing on non-hinge side, then must use carry bar FD102



Technical data

Door leaf width up to	1400 mm
Hinge side frame installation:	
Hinge distance	1250-2800 mm
Minimum passive door width	350 mm
Active/passive door adjustable hold-open angle	70°-120°
Non-hinge side frame installation:	
Hinge distance	1400-2800 mm
Minimum passive door width	350 mm
Active door adjustable hold-open angle	70°-105°
Passive door adjustable hold-open angle	70°-115°
Fire and smoke protection	Yes
Door swing directions	Left/right handed
Adjustable hold open force	Yes
Weight	3,1 kg
Power consumption	120 mA, 24 VDC
Certified in compliance with	EC-Certificate of conformity 0432-CPD-0049 0432-CPD-0050
CE marking for building products	Yes
Basic colours	White (RAL 9016), Silver (EV1), Painted brass, Brown (RAL 8014), Black (RAL 9005), Customised finish
Optional cover	Stainless steel
Certified door closers	DC250, DC330, DC240 (Hinge side only)


This content is protected by Intellectual Property Rights Laws. The title to the content shall not pass to you, and instead shall remain with Abloy Oy or a third party holding the title. Abloy develops continuously the products and solutions offered. Therefore, the information contained in the document is subject to change without notice. ABLOY PROVIDES THIS CONTENT ON AN "AS IS" BASIS WITHOUT ANY WARRANTIES OF ANY KIND, EXPRESS, IMPLIED, OR STATUTORY."

ABLOY® FD462


Electromechanical hold open device for double doors

Accessories


Mounting plate DC115



Angle mounting plate DC116



Mounting plate DC117



Control unit 7400



Battery back up 7404




Smoke detectors
FD600 (optical)



Power supply 24VDC
EA701




Door release
button (mortice)
7463




Installation


HINGE SIDE



NON-HINGE SIDE



NON-HINGE SIDE WITH ANGLE MOUNTING PLATE



This content is protected by Intellectual Property Rights Laws. The title to the content shall not pass to you, and instead shall remain with Abloy Oy or a third party holding the title. Abloy develops continuously the products and solutions offered. Therefore, the information contained in the document is subject to change without notice. ABLOY PROVIDES THIS CONTENT ON AN "AS IS" BASIS WITHOUT ANY WARRANTIES OF ANY KIND, EXPRESS, IMPLIED, OR STATUTORY."